

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 20mg

Tested for: Ridgeline Research

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: 6ZN6Y4EU

COA #: COA-2026-ETW60H
Lot Number: RRL-RT20-001-0726
Labeled Content: 20mg
Volume: 3mL

Analysis Date: 07/28/2026
Appearance: Good
Volume: 3mL
Date Received: 07/16/2026

Method: Purity, Identity & Quantitation (HPLC)

Identity

Retatrutide

Peptide Purity

99.14%



Fentanyl
Free


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.14%	%	PASS
Net Peptide Content	Report Only	20.49	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide 20mg -
RRL-RT20-001-0726

HPLC Chromatogram



Retatrutide 20mg - RRL-RT20-001-0726: UV Chromatogram

Notes & Methodology

- Date Tested: 07/28/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
7/28/2026

COA #: COA-2026-ETW60H
Access Code: 6ZN6Y4EU
Verify: portal.ils-lab.com
Issued: 7/28/2026